


CATALOGUE 2016

Técnica de conexiones

TEKOX

Since 1976

MADE IN SPAIN



www.tekox.es

WE THINK OF
CONNECTIONS

WE GIVE SOLUTIONS

EXPERIENCE

in connections at your service

Since its foundation in 1976, Técnica de Conexiones, S.A. (TEKOX) has specialized in the design, manufacturing and commercialization of low voltage connection material.

We are the leading company in our sector in Spain and have a settled international position.





QUALITY

Synonym of reliability

Both our highly automated manufacturing processes and our products are subjected to rigorous quality controls.

For this reason, TEKOX distinguished itself in 1992 as a pioneer in Quality by becoming the first Spanish company in its sector to be awarded with the Registered Company Certificate according to ISO 9002.



Besides, our company designs and manufactures products certified by the most important international organizations, according to the required regulations.

However, beyond any titles and approvals, our main satisfaction is the confidence that, day after day, our customers all over the world place in us. It is this trust which has made us national leaders in our sector, and allowed us to acquire a solid position in the international market.

SERIES PORCELAIN BLOCKS

Used for making electrical connections with copper conductors in installations and appliances working under high temperature conditions.



Raw materials:

Body: porcelain, white colour.

Insert: nickel-plated brass.

Screws: zinc-plated steel. Metric thread.














Glow-wire test 960°C according to EN 60695-2-11

According to section 4.7.2 (Test 8 mm) EN 60598



<p>B4-1E</p> <p>800 pcs. 270x170x115 mm 5,7 Kg 200 pcs. Plastic bag 1,42 Kg</p>	<p>SOLID CABLE 4 mm² / 1,5 mm²</p> <p>STRANDED CABLE 4 mm² / 1,5 mm²</p>	<p>B4-2E</p> <p>400 pcs. 270x170x115 mm 5,7 Kg 100 pcs. Plastic bag 1,47 Kg</p>
<p>B4-3E</p> <p>250 pcs. 270x170x115 mm 5,4 Kg 50 pcs. Plastic bag 1,05 Kg</p>	<p> 0,4 Nm</p> <p> M 2,6</p> <p>450V</p> <p>32A</p> <p> 350°C</p>	<p>B4-4E</p> <p>200 pcs. 270x170x115 mm 5 Kg 50 pcs. Plastic bag 1,45 Kg</p>

SERIES PORCELAIN BLOCKS

<p>B6-1E</p> <p>600 pcs. 270x170x115 mm 5,4 Kg 150 pcs. Plastic bag 1,36 Kg</p> 	<p>SOLID CABLE 5 mm 6 mm² / 2,5 mm²</p> <p>STRANDED CABLE 5 mm 4 mm² / 2,5 mm²</p>	<p>B6-2E</p> <p>300 pcs. 270x170x115 mm 5,6 Kg 75 pcs. Plastic bag 1,39 Kg</p> 
<p>B6-3E</p> <p>150 pcs. 270x170x115 mm 4,3 Kg 50 pcs. Plastic bag 1,42 Kg</p> 	<p>0,5 Nm M 3</p> <p>450V 41A</p> <p>350°C</p>	<p>B6-4E</p> <p>120 pcs. 270x170x115 mm 3,9 Kg 40 pcs. Plastic bag 1,27 Kg</p> 
<p>B10-1E</p> <p>375 pcs. 270x170x115 mm 4,2 Kg 125 pcs. Plastic bag 1,44 Kg</p> 	<p>SOLID CABLE 6 mm 10 mm² / 4 mm²</p> <p>STRANDED CABLE 6 mm 10 mm² / 4 mm²</p>	<p>B10-2E</p> <p>180 pcs. 270x170x115 mm 4,4 Kg 60 pcs. Plastic bag 1,45 Kg</p> 
<p>B10-3E</p> <p>120 pcs. 270x170x115 mm 4,5 Kg 40 pcs. Plastic bag 1,5 Kg</p> 	<p>0,8 Nm M 3,5</p> <p>450V 57A</p> <p>350°C</p>	<p>B10-4E</p> <p>90 pcs. 270x170x115 mm 4 Kg 30 pcs. Plastic bag 1,29 Kg</p> 
<p>B16-1E</p> <p>150 pcs. 270x170x115 mm 4 Kg 75 pcs. Plastic bag 1,94 Kg</p> 	<p>SOLID CABLE 7 mm 16 mm² / 6 mm²</p> <p>STRANDED CABLE 7 mm 10 mm² / 4 mm²</p>	<p>B16-2E</p> <p>75 pcs. 270x170x115 mm 3,9 Kg 25 pcs. Plastic bag 1,26 Kg</p> 
<p>B16-3E</p> <p>50 pcs. 270x170x115 mm 3,9 Kg 25 pcs. Plastic bag 1,9 Kg</p> 	<p>1,2 Nm M 4</p> <p>450V 76A</p> <p>350°C</p>	<p>B16-4E</p> <p>60 pcs. 270x170x115 mm 6,4 Kg 15 pcs. Plastic bag 1,54 Kg</p> 